 ١

	Application No.	Applicant(s)	
Notice of Allowability	10/761,501	EDDLEMAN DANIEL	
	Examiner	Art Unit	
	Carlos Amaya	2836	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>Amendments filed on 7/30/2007</u> .			
2. The allowed claim(s) is/are <u>1-18 and 20</u> .			
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). 	e been received. be been received in Application No cuments have been received in this	national stage application from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 5. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the 	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C	Office action of	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
		. •	
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413), te	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Da 7. Examiner's Amendr	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance	
or biological Material	9. 🔲 Other		

Application/Control Number: 10/761,501

Art Unit: 2836

DETAILED ACTION

Reasons for Allowance -

1. The following is a statement of reasons for the indication of allowable subject matter:

Claim 1 is allowable over the prior art of record, because the prior art of record does not discloses expressly "a charging circuit for supplying a drive signal to a ramp generator circuit configured to generate the master signal, the charging circuit having first and second current sources for selectably sourcing current to or sinking current from the ramp generator circuit; a tracking input terminal for receiving a tracking signal responsive to the master signal" and "a third current source coupled to the circuit output terminal that generates output current responsive to the op amp output signal, the output current having a magnitude that forces the output of the slave supply to behave in the defined relationship to the master signal when the circuit output terminal is coupled the feedback input terminal, and the coupling of the third current source to the circuit output terminal presenting a high impedance to the feedback input terminal".

Along with the remaining features of the claim.

Claim 12 is allowable over the prior art of record, because the prior art of record does not discloses expressly "accepting the master signal at a master supply circuit, the master signal varying at a master ramp rate; generating current at the master supply circuit responsive to the master signal; injecting the generated current from the master supply circuit into the feedback input terminal of the slave supply circuit; forcing the output of the slave supply circuit to vary responsive to the master signal and in

Art Unit: 2836

accordance with the defined relationship; and presenting a high impedance to the feedback input terminal of the slave supply circuit".

Claim 20 is allowable over the prior art of record, because the prior art of record does not discloses expressly "providing a power supply with a feedback terminal, an output terminal and a feedback network coupled between the feedback terminal and the output terminal, the feedback network presenting a resistance between the output terminal and the feedback terminal; dynamically changing the resistance of the feedback network responsive to an input indicative of a master signal; and modifying the output of the power supply responsive to the dynamically changing resistance of the feedback network".

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Amaya whose telephone number is (571) 272-8941. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry can be reached on (571) 272-2800. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2836

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CA